



### HIGH PERFORMANCE PIPELINE PRODUCTS FOR THE MOST DEMANDING JOBS.

For generations, pipeliners have trusted Weiler's Roughneck® Stringer Bead Brushes (AKA Skinny Buffing Wheels, Bead Brushes) and Aluminum Backed Tiger® Flap Discs (AKA Tiger Paws, Sanding Discs) to get the job done in the most demanding environments. With the addition of our Pipeline Grinding Wheels (AKA Bead Grinder, Grinder Disc), Weiler Abrasives manufactures the trifecta of high performance bonded abrasives, coated abrasives, and power brushes designed, tested, and proven specifically for use on the pipeline.

From the first tack to the final cap, Weiler Abrasives delivers the performance you need.

#### **PRODUCT SELECTION KEY:**















Weiler's Pipeline Grinding Wheels are designed specifically for pipeline applications. Whether grinding a bead, facing the land, prepping transitions, or fabricating in the yard, this wheel is ready to work out of the box, delivering consistent, aggressive grinding throughout the life of the wheel, eliminating the need to chip it.







#### **TIGER PIPELINE GRINDING WHEELS**

**CERAMIC INFUSED / Fast Grinding & Long Life on Pipe** 

TYPE 27
5/8"-11 Hub

| Diameter | Thickness | Grade | Max. RPM | Standard Pack | Item Number |
|----------|-----------|-------|----------|---------------|-------------|
| 4-1/2"   | 1/8"      | Z30T  | 13,300   | 10            | 58090       |
| 6"       | 1/8"      | Z30T  | 10,200   | 10            | 58092       |
| 7"       | 1/8"      | Z30T  | 8,600    | 10            | 58094 🕹     |
| 9"       | 1/8"      | Z30T  | 6,600    | 10            | 58095 🕹     |

Core Pipeline Items

#### "Don't chip it. Just let it ride!"

- Pipeliner, Josh Silky Smooth



Meets ANSI Standards



# TIGER MECH NOTCHING WHEEL

FOR BEAD GRINDING ON MECHANICAL PIPE WELDS



Weiler's Tiger Mech Wheels are designed for grinding applications on mechanical welds with J and K bevels. These high performance wheels are thinner than standard pipe notching wheels, allowing the operator to grind the starts and stops without scarring the bevel.







#### TIGER MECH NOTCHING WHEELS

**CERAMIC INFUSED / Notching Mechanized Pipe Welds** 


5/8"-11 Arbor

| Diameter | Thickness | Grade | Max. RPM | Standard Pack | Item Number |
|----------|-----------|-------|----------|---------------|-------------|
| 4-1/2"   | 3/32" +   | Z30T  | 13,300   | 10            | 58066 🐠     |
| 7"       | 3/32" +   | Z30T  | 8,500    |               |             |











## ROUGHNECK.









#### STRINGER BEAD WHEELS / Steel Wire / Sharp Wire Tips Clean Right Out of the Box

These brushes are the standard for high-performance weld cleaning brushes. Ideal for cleaning hot welds.

| Diameter | Wire Size  | Arbor Hole  | No. of Knots | Face Width | Trim Length | Face Plates | Max. RPM | Std. Pack | Item No. |  |  |  |
|----------|--|-------------|--------------|------------|-------------|-------------|----------|-----------|----------|--|--|--|
|          | Root Pass Brushes for cleaning root and hot passes     |             |              |            |             |             |          |           |          |  |  |  |
| 4"       | .020   | 5/8"-11 UNC | 32           | 3/16"      | 7/8"        | 7/16"       | 20,000   | 5         | 13131    |  |  |  |
| 4-1/2"   | .020   | 5/8"-11 UNC | 38           | 3/16"      | 13/16"      | 3/8"        | 15,000   | 5         | 13232    |  |  |  |
| 5"       | .020   | 5/8"-11 UNC | 38           | 3/16"      | 7/8"        | 3/8"        | 12,500   | 5         | 08756    |  |  |  |
| 6"       | .020   | 5/8"-11 UNC | 56           | 3/16"      | 1-1/8"      | 7/16"       | 12,500   | 10        | 09400    |  |  |  |
| 7"       | .020   | 5/8"-11 UNC | 56           | 3/16"      | 1-1/8"      | 7/16"       | 9,000    | 10        | 09000 🕹  |  |  |  |
|          |  |             | 76           |            |             |             |          |           | 09100    |  |  |  |
|          | Filler Pass Brushes for cleaning filler and cap passes |             |              |            |             |             |          |           |          |  |  |  |
| 5"       | .023   | 5/8"-11 UNC | 24           | 1/2"       | 7/8"        | 3/8"        | 12,500   | 5         | 09856    |  |  |  |
| 6"       | .023   | 5/8"-11 UNC | 30           | 1/2"       | 1-1/4"      | 5/8"        | 12,500   | 10        | 08916    |  |  |  |





#### STRINGER BEAD WHEELS / Steel Wire / Designed to Flip / Improved User Safety

A dual-hex nut design simplifies periodic flipping of the wheel for aggressive cleaning and long life. Dually is safer because the nut provides the necessary clearance so there is no need to remove the guard from the grinder when flipping the wheel. Ideal for cleaning hot welds.

| ,  |  |             |              |            |             |             |          |           |          |  |  |  |  |  |
|--|--|-------------|--------------|------------|-------------|-------------|----------|-----------|----------|--|--|--|--|--|
| Diameter   | Wire Size  | Arbor Hole  | No. of Knots | Face Width | Trim Length | Face Plates | Max. RPM | Std. Pack | Item No. |  |  |  |  |  |
| Root Pass Brushes for cleaning root and hot passes |  |             |              |            |             |             |          |           |          |  |  |  |  |  |
| 4-1/2"   | .020   | 5/8"-11 UNC | 38           | 3/16"      | 13/16"      | 3/8"        | 15,000   | 5         | 79801    |  |  |  |  |  |
| 5"   | .020   | 5/8"-11 UNC | 38           | 3/16"      | 7/8"        | 3/8"        | 12,500   | 5         | 79802    |  |  |  |  |  |
| 6"   | .020   | 5/8"-11 UNC | 56           | 3/16"      | 1-1/8"      | 7/16"       | 12,500   | 5         | 79805    |  |  |  |  |  |
| 7"   | .020   | 5/8"-11 UNC | 56           | 3/16"      | 1-1/8"      | 7/16"       | 9,000    | 5         | 79800 🐍  |  |  |  |  |  |
|  | Filler Pass Brushes for cleaning filler and cap passes |             |              |            |             |             |          |           |          |  |  |  |  |  |
| 5"   | .023   | 5/8"-11 UNC | 24           | 1/2"       | 7/8"        | 3/8"        | 12,500   | 5         | 79803    |  |  |  |  |  |
| 6"   | .023   | 5/8"-11 UNC | 30           | 1/2"       | 1-1/4"      | 5/8"        | 12,500   | 5         | 79804    |  |  |  |  |  |













#### **ENCAPSULATED STRINGER BEAD WHEELS / Steel Wire / NO Long Wire Breakage / Extremely Aggressive**

Features a heat-stabilized encapsulation that gradually wears away to expose a consistent short trim for higher aggression, controlled brushing action, and longer life. Ideal for cleaning hot welds.

| Diameter | Wire Size            | Arbor Hole  | Face Width | Trim Length   | Face Plates | Max. RPM | Std. Pack | Item Number |  |  |
|----------|----------------------|-------------|------------|---------------|-------------|----------|-----------|-------------|--|--|
|          | Stringer Bead Wheels |             |            |               |             |          |           |             |  |  |
| 4"       | .020                 | 5/8"-11 UNC | 3/16"      | 7/8"          | 7/16"       | 20,000   | 5         | 35800       |  |  |
| 7"       | .020                 | 5/8"-11 UNC | 3/16"      | 1-1/8"        | 7/16"       | 9,000    | 10        | 35600       |  |  |
|          |                      |             | Cr         | imp Wire Whee | els         |          |           |             |  |  |
| 6"       | .014                 | 5/8"-11 UNC | 3/16"      | 1-7/16"       | 3/8"        | 9,000    | 5         | 35206       |  |  |
| 7"       | .014                 | 5/8"-11 UNC | 3/16"      | 1-15/16"      | 3/8"        | 9,000    | 5         | 35216       |  |  |



# **ALUMINUM BACK FLAP DISC**



When you ask for a Tiger disc, make sure that's what you get. There is only one true Tiger and it's made by Weiler Abrasives.









#### **TIGER ALUMINUM BACK FLAP DISC**


Tiger Aluminum Back flap discs are the benchmark for the pipeline industry, providing rigid support for maximum aggression. These wheels are ideal for removing heavy pitting and resists rolling the bevel ends prior to welding. The aluminum backing also prevents the disc from catching on the bevel when grinding.

| Diameter | Arbor Hole  | Grit Size | Max. RPM | Standard Pack | Item Number |
|----------|-------------|-----------|----------|---------------|-------------|
| 4-1/2"   | 5/8"-11 Nut | 40        | 13,000   | 10            | 50518       |
|          |             | 60        |          |               | 50519 🕹     |
|          |             | 80        |          |               | 50520       |
| 7"       | 5/8"-11 Nut | 40        | 8,600    | 10            | 50543       |
|          |             | 60        |          |               | 50544 🐍     |
|          |             | 80        |          |               | 50545       |









#### AKA SLICER, CUT OFF, 045 / AKA SAUCER, CONCAVE DISC

# FOR NOTCHING & GRINDING







#### TIGER ZIRC NOTCHING & GRINDING COMBO / Zirconia Alumina

Combination wheels offer flexibility and efficiency when switching between notching and grinding applications. Triple fiberglass reinforcement provides the strength to hold up when grinding while maintaining a fast cut.


TYPE 27 **5/8"-11 Hub** 

| Diameter | Thickness | Grade | Max. RPM | Standard Pack | Item No. |
|----------|-----------|-------|----------|---------------|----------|
| 4-1/2"   | 1/8"      | Z30T  | 13,300   | 10            | 58050    |
| 5"       | 1/8"      | Z30T  | 12,200   | 10            | 58052    |
| 6"       | 1/8"      | Z30T  | 10,200   | 10            | 58054    |
| 7"       | 1/8"      | Z30T  | 8,600    | 10            | 58055    |
| 9"       | 1/8"      | Z30T  | 6,650    | 10            | 68383    |













#### TIGER ZIRC TYPE 28 GRINDING WHEELS / Saucer Shape for Grinding Transitions

Zirconia Alumina depressed center wheels with a concave "or saucer" shape is designed for increased aggression at lower working angles and increased access. These wheels are ideal for pipe transitioning.

TYPE 28 **5/8"-11 Hub** 

| Diameter | Thickness | Grade | Max. RPM | Standard Pack | ltem # |
|----------|-----------|-------|----------|---------------|--------|
| 7"       | 1/4"      | Z24T  | 8,600    | 10            | 58080  |
| 9"       | 1/4"      | Z24T  | 6,600    | 10            | 58082  |



58080









#### TIGER AO CUTTING WHEELS / Ideal for Yard or Field Repairs

Weiler Tiger Aluminum Oxide depressed center cutting wheels deliver the right combination of performance and value when cutting steel and other metals. The depressed center provides added clearance when working at a constrained angle and .045 wheel thickness is ideal for cutting applications

TYPE 27

in fab yard or field repairs.

7/8"-11 Arbor

5/8"-11 Hub

| Diameter | Wheel | Grade | Max. RPM | Std. Pack | ltem No. | Std. Pack | Item No. |
|----------|-------|-------|----------|-----------|----------|-----------|----------|
| 4-1/2"   | .045" | A60T  | 13,300   | 25        | 57041    | 10        | 57040    |
| 5"       | .045" | A60T  | 12,200   | 25        | 57043    | 10        | 57042    |
| 6"       | .045" | A60T  | 10,200   | 25        | 57045    | 10        | 57044    |
| 7"       | .060" | A60T  | 8,600    | 25        | 57046    | 10        | 57048    |



57048



#### **VORTEC PRO® CHIP AND OIL BRUSHES**







White Bristle / Wood Handle - Inexpensive, multipurpose tools for use in applications requiring a disposable applicator or utility brush. They are ideal brushes for applying pipe coatings in the field.

| Width | Thickness         | Bristle Length | Standard Pack | Item Number |
|-------|-------------------|----------------|---------------|-------------|
| 2"    | 5/16"             | 1-1/2"         | 24            | 40181       |
| 3"    | 3/8"              | 1-1/2"         | 12            | 40183       |
| 4"    | 5/8" DOUBLE THICK | 1-3/4"         | 12            | 40184 🕹     |
|       | 3/8" SINGLE THICK |                |               | 40185       |

Core Pipeline Items



## KNOT WIRE CUP BRUSHES Steel Wire / Single Row Smooth operation and efficient removal of surface rust and light corrosion.









| omoom operane | omeour operation and omeour or our document in give concern. |             |             |          |           |             |  |  |  |  |
|---------------|--|-------------|-------------|----------|-----------|-------------|--|--|--|--|
| Diameter      | Wire Size  | Arbor Hole  | Trim Length | Max. RPM | Std. Pack | Item Number |  |  |  |  |
| Single Row    |  |             |             |          |           |             |  |  |  |  |
| 4"            | .023   | 5/8"-11 Nut | 1-1/4"      | 10,200   | 1         | 12316       |  |  |  |  |
| Double Row    |  |             |             |          |           |             |  |  |  |  |
| Λ"            | 020  | 5/8"_11 Nut | 1_1 / // "  | a nnn    | 1         | 12766       |  |  |  |  |









### CURVED HANDLE SCRATCH BRUSH / Hardwood Block / .012 Steel Wire / Made in U.S.A.

High-quality construction for more effective brushing action and longer life.

| Block Size | Brush Length | Rows   | Trim Length | Standard Pack | Item Number |
|------------|--------------|--------|-------------|---------------|-------------|
| 14" x 7/8" | 5-1/2"       | 3 x 19 | 1-3/16"     | 12            | 44053       |

#### **VORTEC PRO® CURVED HANDLE SCRATCH BRUSH**

Hardwood Block / .012 Steel Wire Provides lasting, efficient service at a minimal cost. Imported.

| Block Size   | Brush Length | Rows   | Trim Length | Standard Pack | ltem Number |
|--------------|--------------|--------|-------------|---------------|-------------|
| 13-1/2" x 1" | 6"           | 3 x 19 | 1"          | 12            | 25150       |

#### SHOE HANDLE SCRATCH BRUSH / Hardwood Block / .012 Steel Wire / Made in U.S.A.

High-quality construction for cleaning and prepping surfaces.

| В | Block Size  | Brush Length | Rows   | Trim Length | Standard Pack | Item Number |
|---|-------------|--------------|--------|-------------|---------------|-------------|
| 1 | 0" x 1-1/8" | 5"           | 4 x 16 | 1-3/16"     | 12            | 44063       |


#### **VORTEC PRO® SHOE HANDLE SCRATCH BRUSH**

Hardwood Block / .012 Steel Wire Reliable and efficient brushes at a value price.

| Block Size | Brush Length | Rows   | Trim Length | Standard Pack | Item Number |
|------------|--------------|--------|-------------|---------------|-------------|
| 10" x 1"   | 5"           | 4 x 16 | 1"          | 12            | 25100       |







Weiler Abrasives is dedicated to delivering the service and support needed to help pipeliners get their jobs done faster and safer. Our team is on the line and in the yards working with you to ensure our products deliver maximum productivity. We also want operators to be safe, so we provide field training for safe and proper use of abrasives and brushes.

Contact your Weiler Abrasives Rep or visit us at WeilerAbrasives.com to learn more about our SPOT pipeline safety training program.

Follow Us on Social Media: @weilerabrasives















